

SICHERHEITSDATENBLATT

gemäss Verordnung (EG) Nr. 1907/2006
(geändert durch Verordnung (EU) 2020/878)

Bio Lav

ABSCHNITT 1: Bezeichnung des Stoffs bzw. des Gemischs und des Unternehmens

1.1. Produktidentifikator

Produktname	Bio Lav
Produktnummer	16094.0002.003/137948
Eindeutige Formelkennung (UFI)	F045-PTWG-CXFH-Y5HM

1.2. Relevante identifizierte Verwendungen des Stoffs oder Gemischs und Verwendungen, von denen abgeraten wird

Verwendung des Stoffs/des Gemischs	Waschmittel
---	-------------

1.3. Einzelheiten zum Lieferanten, der das Sicherheitsdatenblatt bereitstellt

Bezeichnung des Unternehmens	Steinfels Swiss Division der Coop Genossenschaft St. Gallerstrasse 180 CH-8404 Winterthur Tel : 052 234 44 00 Fax : 052 234 44 01 info@steinfels-swiss.ch
-------------------------------------	---

1.4. Notrufnummer	145 (Tox Info Suisse)
Überarbeitungsdatum	02.07.2025
Version	2 (Ersetzt Vorversionen: 1)

ABSCHNITT 2: Mögliche Gefahren

2.1. Einstufung des Stoffs oder Gemischs

Einstufung gemäss Verordnung (EG) Nr. 1272/2008

Schwere Augenschädigung/Augenreizung, Kat. 1, H318
Sensibilisierung der Haut, Unterkat. 1B, H317

Weitere Angaben

Den vollen Wortlaut der hier genannten Sätze finden Sie in Abschnitt 16.

2.2. Kennzeichnungselemente



Signalwort

Gefahr

Gefahrenhinweise

H317: Kann allergische Hautreaktionen verursachen.
H318: Verursacht schwere Augenschäden.

Sicherheitshinweise

P280: Schutzhandschuhe, Augenschutz und Gesichtsschutz tragen.
P301+P312: BEI VERSCHLUCKEN: Bei Unwohlsein GIFTINFORMATIONSZENTRUM/Arzt anrufen.
P302+P352: BEI BERÜHRUNG MIT DER HAUT: Mit viel Wasser und Seife waschen.
P305+P351+P338: BEI KONTAKT MIT DEN AUGEN: Einige Minuten lang behutsam mit Wasser spülen. Eventuell vorhandene Kontaktlinsen nach Möglichkeit entfernen. Weiter spülen.
P333+P313: Bei Hautreizung oder -ausschlag: Ärztlichen Rat einholen/ ärztliche Hilfe hinzuziehen.
P501: Inhalt einer anerkannten Sonderabfallentsorgung zuführen.

Ergänzende Informationen

Keine.

Produktidentifikator

Fettalkoholethoxylate

2.3. Sonstige Gefahren

Dieses Gemisch enthält keine Substanzen in einer Konzentration über 0.1%, die als PBT, vPvB oder endokrine Disruptoren eingestuft sind.

ABSCHNITT 3: Zusammensetzung/Angaben zu Bestandteilen

3.2. Gemische

Formuliertes Produkt.

Inhaltsstoffe	Gewichts %	CLP Einstufung	Produktidentifikator
Fettalkohol alkoxylate	5% - 10%	Eye Irrit. 2 H319, Acute Tox. 4 H302, Aquatic Chronic 3 H412	CAS-Nr.: kein CAS (Polymer)
Ethandiol; Glykol	5% - 10%	Acute Tox. 4 H302 (ATE=6000mg/kg bw)	CAS-Nr.: 107-21-1 EG-Nr.: 203-473-3 INDEX-Nr.: 603-027-00-1
Sodium Cumenesulfonate	2,5% - 5%	Eye Irrit. 2 H319	CAS-Nr.: 28348-53-0 EG-Nr.: 248-983-7

Benzylalkohol	2,5% - 5%	Acute Tox. 4 H302 (ATE=1200mg/kg bw), Eye Irrit. 2 H319, Skin Sens. 1B H317	CAS-Nr.: 100-51-6 EG-Nr.: 202-859-9 INDEX-Nr.: 603-057-00-5
Fettalkoholethoxylat EO3	2,5% - 5%	Eye Irrit. 2 H319, Aquatic Chronic 3 H412	CAS-Nr.: 69011-36-5 (9043-30-5)
Isotrideceth-5	2,5% - 5%	Eye Dam. 1 H318, Aquatic Chronic 3 H412	CAS-Nr.: 9043-30-5
Fettalkoholethoxylat	2,5% - 5%	Eye Dam. 1 H318, Aquatic Acute 1 H400	CAS-Nr.: 68439-50-9
2-Propanol; Isopropylalkohol; Isopropanol	2,5% - 5%	Eye Irrit. 2 H319, STOT SE 3 H336, Flam. Liq. 2 H225	CAS-Nr.: 67-63-0 EG-Nr.: 200-661-7 INDEX-Nr.: 603-117-00-0
Fettalkoholethoxylat	2,5% - 5%	Eye Dam. 1 H318, Acute Tox. 4 H302	CAS-Nr.: 9043-30-5 I 24938-91-8 I 69011-36-5

Den vollen Wortlaut der hier genannten Sätze finden Sie in Abschnitt 16.

Gefährliche Verunreinigungen Keine bekannt.

ABSCHNITT 4: Erste-Hilfe-Massnahmen

4.1. Beschreibung der Erste-Hilfe-Massnahmen

Einatmen	An die frische Luft bringen. In ernsten Fällen einen Arzt rufen.
Hautkontakt	Hände vorsorglich mit Wasser waschen.
Augenkontakt	Sofort mit viel Wasser, auch unter den Augenlidern, ausspülen. Vorhandene Kontaktlinsen, wenn möglich, entfernen. Bei anhaltender Augenreizung einen Facharzt aufsuchen.
Verschlucken	Mund mit Wasser ausspülen und reichlich Wasser nachtrinken. KEIN Erbrechen herbeiführen. Falls erforderlich einen Arzt konsultieren.

4.2. Wichtigste akute und verzögert auftretende Symptome und Wirkungen Beschmutzte Kleidung vor Wiedergebrauch waschen. Bei anhaltenden Beschwerden einen Arzt aufsuchen.

4.3. Hinweise auf ärztliche Soforthilfe oder Spezialbehandlung Keine bekannt.

ABSCHNITT 5: Massnahmen zur Brandbekämpfung

5.1. Löschmittel

Geeignete Löschmittel	Alle.
Ungeeignete Löschmittel	Wasservollstrahl.

5.2. Besondere vom Stoff oder Gemisch ausgehende Gefahren

Dieses Produkt ist nicht brennbar. Im Brandfall kann der Rauch neben dem Ausgangsprodukt möglicherweise giftige und/oder reizende Verbindungen enthalten.

5.3. Hinweise für die Brandbekämpfung**Besondere Schutzausrüstung bei der Brandbekämpfung**

Übliche Massnahmen bei Bränden mit Chemikalien.

Besondere Löschhinweise

Löschmassnahmen auf die Umgebung abstimmen.

ABSCHNITT 6: Massnahmen bei unbeabsichtigter Freisetzung**6.1. Personenbezogene Vorsichtsmassnahmen, Schutzausrüstungen und in Notfällen anzuwendende Verfahren****Nicht für Notfälle geschultes Personal**

Persönliche Schutzausrüstung verwenden. Wegen Rutschgefahr aufwischen.

Einsatzkräfte

Die beim Umgang mit Chemikalien üblichen Vorsichtsmassnahmen sind zu beachten.

6.2. Umweltschutzmassnahmen

Wenn grössere Mengen verschütteten Materials nicht eingedämmt werden können, sollen die lokalen Behörden benachrichtigt werden.

6.3. Methoden und Material für Rückhaltung und Reinigung

Mechanisch aufnehmen und in geeigneten Behältern zur Entsorgung bringen. Nach der Reinigung Spuren mit Wasser wegspülen.

ABSCHNITT 7: Handhabung und Lagerung**7.1. Schutzmassnahmen zur sicheren Handhabung**

Bei der Verwendung nicht essen, trinken oder rauchen. Verschlucken, längerer Haut- und Augenkontakt sowie Einatmen jeglicher entstehender Dämpfe vermeiden. Persönliche Schutzausrüstung tragen.

7.2. Bedingungen zur sicheren Lagerung unter Berücksichtigung von Unverträglichkeiten

Vor Frost schützen. Vor direkter Sonneneinstrahlung schützen.

7.3. Spezifische Endanwendungen

Keine Information verfügbar.

ABSCHNITT 8: Begrenzung und Überwachung der Exposition/Persönliche Schutzausrüstungen**8.1. Zu überwachende Parameter****Expositionsgrenzwert(e)**

Für das Produkt selber sind keine Daten vorhanden.

Ethandiol; Glykol (CAS 107-21-1)

Switzerland - Occupational Exposure Limits - Developmental Risk Groups	Developmental Risk Group C
Switzerland - Occupational Exposure Limits - Skin Notation	skin notation
Switzerland - Occupational Exposure Limits - STELs - (KZGWs)	20 ppm STEL [KZGW] (aerosol, vapour) 52 mg/m3 STEL [KZGW] (aerosol, vapour)
Switzerland - Occupational Exposure Limits - TWAs - (MAKs)	10 ppm TWA [MAK] (aerosol, vapour) 26 mg/m3 TWA [MAK] (aerosol, vapour)
EU - Occupational Exposure (2000/39/EC) - First List of Indicative Occupational Exposure Limit Values - Skin Notations	Possibility of significant uptake through the skin
EU - Occupational Exposure (2000/39/EC) - First List of Indicative Occupational Exposure Limit Values - STELs	40 ppm STEL 104 mg/m3 STEL
EU - Occupational Exposure (2000/39/EC) - First List of Indicative Occupational Exposure Limit Values - TWAs	20 ppm TWA 52 mg/m3 TWA
Austria - Occupational Exposure Limits - Skin Notation	skin notation
Austria - Occupational Exposure Limits - STELs - (MAK-KZGWs)	20 ppm STEL [KZGW] (8 X 5 min) 52 mg/m3 STEL [KZGW] (8 X 5 min)
Austria - Occupational Exposure Limits - TWAs - (MAK-TMWs)	10 ppm TWA [TMW] 26 mg/m3 TWA [TMW]
Germany - DFG - Recommended Exposure Limits - Ceilings (Peak Limitations)	20 ppm Peak (can occur as vapor and aerosol at the same time) 52 mg/m3 Peak (can occur as vapor and aerosol at the same time)
Germany - DFG - Recommended Exposure Limits - Pregnancy	no risk to embryo/fetus if exposure limits adhered to
Germany - DFG - Recommended Exposure Limits - Skin Notation	skin notation
Germany - DFG - Recommended Exposure Limits - TWAs (MAKs)	10 ppm TWA MAK I(2) (can occur as vapor and aerosol at the same time) 26 mg/m3 TWA MAK I(2) (can occur as vapor and aerosol at the same time)
Germany - TRGS 900 - Occupational Exposure Limits - TWAs (AGWs)	10 ppm TWA AGW (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed sum of vapor and aerosol, exposure factor 2) 26 mg/m3 TWA AGW (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed sum of vapor and aerosol, exposure factor 2)

Benzylalkohol (CAS 100-51-6)

Switzerland - Occupational Exposure Limits - Developmental Risk Groups	Developmental Risk Group C
Switzerland - Occupational Exposure Limits - Skin Notation	skin notation
Switzerland - Occupational Exposure Limits - TWAs - (MAKs)	5 ppm TWA [MAK] NIOSH (aerosol, vapour) 22 mg/m3 TWA [MAK] NIOSH (aerosol, vapour)
Germany - DFG - Recommended Exposure Limits - Ceilings (Peak Limitations)	44 mg/m3 Peak (can occur as vapor and aerosol at the same time) 10 ppm Peak (can occur as vapor and aerosol at the same time)
Germany - DFG - Recommended Exposure Limits - Pregnancy	no risk to embryo/fetus if exposure limits adhered to

Germany - DFG - Recommended Exposure Limits - Skin Notation	skin notation
Germany - DFG - Recommended Exposure Limits - TWAs (MAKs)	22 mg/m ³ TWA MAK I(2) (can occur as vapor and aerosol at the same time) 5 ppm TWA MAK I(2) (can occur as vapor and aerosol at the same time)
Germany - TRGS 900 - Occupational Exposure Limits - TWAs (AGWs)	5 ppm TWA AGW (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed sum of vapor and aerosol, exposure factor 2) 22 mg/m ³ TWA AGW (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed sum of vapor and aerosol, exposure factor 2)
2-Propanol; Isopropylalkohol; Isopropanol (CAS 67-63-0)	
Switzerland - Biological Limit Values (BAT-Werte)	25 mg/L Medium: urine Time: end of shift Parameter: Acetone 0.4 mmol/L Medium: urine Time: end of shift Parameter: Acetone 25 mg/L Medium: whole blood Time: end of shift Parameter: Acetone 0.4 mmol/L Medium: whole blood Time: end of shift Parameter: Acetone Developmental Risk Group C
Switzerland - Occupational Exposure Limits - Developmental Risk Groups	
Switzerland - Occupational Exposure Limits - STELs - (KZGWs)	400 ppm STEL [KZGW] INRS NIOSH 1000 mg/m ³ STEL [KZGW] INRS NIOSH
Switzerland - Occupational Exposure Limits - TWAs - (MAKs)	200 ppm TWA [MAK] INRS NIOSH 500 mg/m ³ TWA [MAK] INRS NIOSH
EU - Occupational Exposure (2004/37/EC) - List of Substances, Mixtures and Processes	"Present" As Strong acid process in the manufacture of isopropyl alcohol [RR-00068-0]
Austria - Occupational Exposure Limits - Carcinogens	Group C Carcinogen (by manufacturing of strong Acid process) Group C Carcinogen (residue from Isopropanol manufacturing)
Austria - Occupational Exposure Limits - STELs - (MAK-KZGWs)	800 ppm STEL [KZGW] (4 X 15 min) 2000 mg/m ³ STEL [KZGW] (4 X 15 min)
Austria - Occupational Exposure Limits - TWAs - (MAK-TMWs)	200 ppm TWA [TMW] 500 mg/m ³ TWA [TMW]
Germany - DFG - Recommended Exposure Limits - Ceilings (Peak Limitations)	400 ppm Peak 1000 mg/m ³ Peak
Germany - DFG - Recommended Exposure Limits - Pregnancy	no risk to embryo/fetus if exposure limits adhered to
Germany - DFG - Recommended Exposure Limits - TWAs (MAKs)	200 ppm TWA MAK II(2) 500 mg/m ³ TWA MAK II(2)
Germany - TRGS 900 - Occupational Exposure Limits - TWAs (AGWs)	200 ppm TWA AGW (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed, exposure factor 2) 500 mg/m ³ TWA AGW (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed, exposure factor 2)

8.2. Begrenzung und Überwachung der Exposition

Geeignete technische Steuerungseinrichtungen Kontakt mit Haut, Augen und Kleidung vermeiden.

Persönliche Schutzausrüstung

Atemschutz Keine besondere Schutzausrüstung erforderlich.

Handschutz Die einzusetzenden Schutzhandschuhe müssen den

Spezifikationen der Verordnung (EG) Nr. 2016/425 und der sich daraus ergebenden Norm EN 374 genügen. Vollkontakt (Definition Einsatz bis maximal 480 Minuten)
 Material: Butylkautschuk
 Minimale Schichtdicke: 0.47mm +/-0.05mm
 Durchbruchzeit gemessen: 480 Minuten
 Material getestet: Butoject 897+ Spritzkontakt (Definition Einsatz bis maximal 30 Minuten)
 Material: Nitrilkautschuk
 Minimale Schichtdicke: 0.2mm
 Material getestet: Dermatril (R) P 743 Die Auswahl eines geeigneten Handschuhs ist nicht nur vom Material, sondern auch von weiteren Qualitätsmerkmalen abhängig und von Hersteller zu Hersteller unterschiedlich.

<i>Augenschutz</i>	Schutzbrille.
<i>Haut- und Körperschutz</i>	Beschmutzte Kleidung entfernen und vor Wiederverwendung waschen.
<i>Thermische Gefahren</i>	Keine besonderen Massnahmen erforderlich.
Begrenzung und Überwachung der Umweltexposition	Keine besonderen Massnahmen erforderlich.

ABSCHNITT 9: Physikalische und chemische Eigenschaften

9.1. Angaben zu den grundlegenden physikalischen und chemischen Eigenschaften

Aggregatzustand	Flüssig.
Farbe	Gelb.
Geruch	Angenehm.
Schmelzpunkt/ Gefrierpunkt:	Nicht bestimmt.
Siedepunkt oder Siedebeginn /-bereich:	Nicht bestimmt.
Entzündbarkeit:	Nicht bestimmt.
Untere und obere Explosionsgrenze:	Nicht bestimmt.
Flammpunkt:	nicht entflammbar
Zündtemperatur:	Nicht bestimmt.
Zersetzungstemperatur:	Nicht bestimmt.
pH-Wert:	8,3
Kinematische Viskosität:	Nicht bestimmt.
Löslichkeit:	vollkommen löslich (Wasser)
Verteilungskoeffizient n-Oktanol/Wasser (log-Wert):	Nicht bestimmt.
Dampfdruck:	Nicht bestimmt.
Dichte und/oder relative Dichte:	1,033
Relative Dampfdichte:	Nicht bestimmt.
Partikeleigenschaften:	Nicht zutreffend.

9.2. Sonstige Angaben

9.2.1 Angaben über physikalische Gefahrenklassen	Keine Information verfügbar.
---	------------------------------

ABSCHNITT 10: Stabilität und Reaktivität

10.1. Reaktivität	Keine Information verfügbar.
10.2. Chemische Stabilität	Keine Zersetzung bei bestimmungsgemäßer Lagerung und Anwendung.
10.3. Möglichkeit gefährlicher Reaktionen	Keine Information verfügbar.
10.4. Zu vermeidende Bedingungen	Nicht erforderlich.
10.5. Unverträgliche Materialien	Keine.
10.6. Gefährliche Zersetzungsprodukte	Thermische Zersetzung kann zur Freisetzung von reizenden Gasen und Dämpfen führen.

ABSCHNITT 11: Toxikologische Angaben

11.1. Angaben zu toxikologischen Wirkungen

Akute Toxizität	Von diesem Produkt sind keine gesundheitsschädlichen Wirkungen bekannt. Ethandiol; Glykol (CAS 107-21-1) LD50/oral 6000 mg/kg. Sodium Cumenesulfonate (CAS 28348-53-0) Dermal LD50 Rabbit > 2000 mg/kg (ECHA_API) Inhalation LC50 Rat > 770 mg/L 4 h(ECHA_API) Oral LD50 Rat > 7000 mg/kg (NLM_CIP) Benzylalkohol (CAS 100-51-6) Dermal LD50 Rabbit = 2 g/kg (NLM_CIP) Inhalation LC50 Rat > 4178 mg/m3 4 h(ECHA_API) Oral LD50 Rat = 1230 mg/kg (NLM_CIP) Isotrideceth-5 (CAS 9043-30-5) Oral LD50 Rat = 1000 mg/kg (NZ_CCID) Fettalkoholethoxylat (CAS 68439-50-9) Oral LD50 Rat > 2000 mg/kg (ECHA_API) 2-Propanol; Isopropylalkohol; Isopropanol (CAS 67-63-0) Dermal LD50 Rabbit = 4059 mg/kg (JAPAN_GHS) Inhalation LC50 Rat > 10000 ppm 6 h(ECHA_API) Oral LD50 Rat 4710 - 5840 mg/kg (OECD_SIDS)
Ätz-/Reizwirkung auf die Haut	Keine Daten verfügbar.
Schwere Augenschädigung/-reizung	Verursacht schwere Augenschäden.

Sensibilisierung der Atemwege/Haut	Kann allergische Hautreaktionen verursachen.
Karzinogenität	Enthält keinen als krebserzeugend eingestuften Bestandteil
Keimzellmutagenität	Enthält keinen als erbgutverändernd eingestuften Bestandteil.
Reproduktionstoxizität	Enthält keinen als reproduktionstoxisch eingestuften Bestandteil.
Spezifische Zielorgan-Toxizität bei einmalige Exposition	Keine Daten verfügbar.
Spezifische Zielorgan-Toxizität bei wiederholter Exposition	Keine Daten verfügbar.
Aspirationsgefahr	Keine Daten verfügbar.
Erfahrung am Menschen	Keine Daten verfügbar.

11.2. Angaben über sonstige Gefahren

Endokrinschädliche Eigenschaften	Dieses Gemisch enthält keine Bestandteile mit endokrinschädlichen Eigenschaften in Mengen von 0.1 % oder mehr (gemäss REACH Artikel 57(f) oder der delegierten Verordnung (EU) 2017/2100 der Kommission oder der delegierten Verordnung (EU) 2018/605 der Kommission).
Sonstige Angaben	Keine Daten verfügbar.

ABSCHNITT 12: Umweltbezogene Angaben

12.1. Toxizität	Keine Daten verfügbar.
Ethandiol; Glykol (CAS 107-21-1) EU - Ecolabel (66/2010) - Detergent Ingredient Database - Aerobic Degradation	Readily biodegradable according to OECD guidelines.
EU - Ecolabel (66/2010) - Detergent Ingredient Database - Anaerobic Degradation	Biodegradable under anaerobic conditions.
Ecotoxicity - Freshwater Algae - Acute Toxicity Data	EC50 96 h Pseudokirchneriella subcapitata 6500 - 13000 mg/L (IUCLID)
Ecotoxicity - Freshwater Fish - Acute Toxicity Data	LC50 96 h Oncorhynchus mykiss 41000 mg/L (IUCLID) LC50 96 h Oncorhynchus mykiss 14 - 18 mL/L [static] (EPA) LC50 96 h Lepomis macrochirus 27540 mg/L [static] (EPA) LC50 96 h Oncorhynchus mykiss 40761 mg/L [static] (IUCLID) LC50 96 h Pimephales promelas 40000 - 60000 mg/L [static] (EPA) LC50 96 h Poecilia reticulata 16000 mg/L [static] (IUCLID) EC50 48 h Daphnia magna 46300 mg/L (IUCLID)
Ecotoxicity - Water Flea - Acute Toxicity Data	
Sodium Cumenesulfonate (CAS 28348-53-0) Ecotoxicity - Freshwater Algae - Acute Toxicity Data	EC50 72 h Desmodesmus subspicatus >1000 mg/L (IUCLID)
Benzylalkohol (CAS 100-51-6) EU - Ecolabel (66/2010) - Detergent Ingredient Database -	Readily biodegradable according to OECD guidelines.

Aerobic Degradation	
EU - Ecolabel (66/2010) - Detergent Ingredient Database - Anaerobic Degradation	Biodegradable under anaerobic conditions.
Ecotoxicity - Freshwater Fish - Acute Toxicity Data	LC50 96 h Pimephales promelas 460 mg/L [static] (EPA)
Ecotoxicity - Water Flea - Acute Toxicity Data	LC50 96 h Lepomis macrochirus 10 mg/L [static] (EPA)
	EC50 48 h water flea 23 mg/L
2-Propanol; Isopropylalkohol; Isopropanol (CAS 67-63-0)	
EU - Ecolabel (66/2010) - Detergent Ingredient Database - Aerobic Degradation	"Readily biodegradable according to OECD guidelines." As C1-4 Alcohols [RR-42984-5]
EU - Ecolabel (66/2010) - Detergent Ingredient Database - Anaerobic Degradation	"Biodegradable under anaerobic conditions." As C1-4 Alcohols [RR-42984-5]
Ecotoxicity - Freshwater Algae - Acute Toxicity Data	EC50 96 h Desmodesmus subspicatus >1000 mg/L (IUCLID)
Ecotoxicity - Freshwater Fish - Acute Toxicity Data	EC50 72 h Desmodesmus subspicatus >1000 mg/L (IUCLID)
	LC50 96 h Pimephales promelas 9640 mg/L [flow-through] (IUCLID)
	LC50 96 h Pimephales promelas 11130 mg/L [static] (IUCLID)
	LC50 96 h Lepomis macrochirus >1400000 µg/L (EPA)
Ecotoxicity - Water Flea - Acute Toxicity Data	EC50 48 h Daphnia magna 13299 mg/L (IUCLID)
12.2. Persistenz und Abbaubarkeit	Das in dieser Zubereitung enthaltene Tensid erfüllt (Die in dieser Zubereitung enthaltenen Tenside erfüllen) die Bedingungen der biologischen Abbaubarkeit wie sie in der Verordnung (EG) Nr. 648/2004 über Detergenzien festgelegt sind. Unterlagen, die dies bestätigen, werden für die zuständigen Behörden der Mitgliedsstaaten bereit gehalten und nur diesen entweder auf ihre direkte oder auf Bitte eines Detergentienherstellers hin zur Verfügung gestellt.
12.3. Bioakkumulationspotenzial	Keine Daten verfügbar.
12.4. Mobilität im Boden	Keine Daten verfügbar.
12.5. Ergebnisse der PBT- und vPvB-Beurteilung	Diese Zubereitung enthält keinen Stoff, der als persistent, bioakkumulierend oder toxisch (PBT) betrachtet wird. Diese Zubereitung enthält keinen Stoff, der als sehr persistent oder sehr bioakkumulierend (vPvB) betrachtet wird.
12.6. Endokrinschädliche Eigenschaften	Enthält keine endokrin wirksamen Chemikalien.
12.7. Andere schädliche Wirkungen	Keine Information verfügbar.

ABSCHNITT 13: Hinweise zur Entsorgung

13.1. Verfahren der Abfallbehandlung

Ungebrauchtes Produkt	Inhalt/ teilentleerter und leerer Behälter dem Siedlungsabfall zuführen. VeVA-Code (Verordnung über den Verkehr mit Abfällen): 20 03 01.
------------------------------	--

Ungereinigte Verpackungen

Reste entleeren. Leere Behälter einer anerkannten Abfallentsorgungsanlage zuführen zwecks Wiedergewinnung oder Entsorgung.

ABSCHNITT 14: Angaben zum Transport

14.1. UN-Nummer oder ID-Nummer	Nicht zutreffend.
14.2. Ordnungsgemässe UN-Versandbezeichnung	Nicht zutreffend.
14.3. Transportgefahrenklassen	Nicht zutreffend.
14.4. Verpackungsgruppe	Nicht zutreffend.
14.5. Umweltgefahren	Nicht zutreffend.
14.6. Besondere Vorsichtsmassnahmen für den Verwender	Nicht zutreffend.
14.7. Massengutbeförderung auf dem Seeweg gemäß IMO-Instrumenten	Nicht zutreffend.
UN-Modellvorschriften	
ADR/RID	Nicht unterstellt.
IMDG	Nicht unterstellt.
IATA	Nicht unterstellt.
Weitere Angaben	Kein Gefahrgut im Sinne der Transportvorschriften.

ABSCHNITT 15: Rechtsvorschriften**15.1. Vorschriften zu Sicherheit, Gesundheits- und Umweltschutz/spezifische Rechtsvorschriften für den Stoff oder das Gemisch**

Rechtsvorschriften	Inhaltsstoffe gemäss Verordnung (EG) 648/2004: >=30%: Wasser >=15%; <30%: nichtionische Tenside >=5%; <15%: Seife <5%: anionische Tenside, Duftstoffe, Wirkstoffe Enzyme, Duftstoffe Allergene Duftstoffe: Benzylalkohol, Hexyl Cinnamal Wassergefährdungsklasse WGK (D) = 2. VOC (CH) = 7.24594695
---------------------------	---

Ethandiol; Glykol (CAS 107-21-1)

TEDX (The Endocrine Disruption Exchange) - Potential Endocrine	Present
--	---------

Disruptors	
Switzerland - Air Pollution Control - Organic Substances - Gases, Vapors or Particulates	Category Class 3
Switzerland - Chemical Risk Reduction Ordinance - Prohibited and Restricted Substances	"Use restricted. See annex 2.7 in the regulation" As Anti-freeze solution [RR-14630-5]
Switzerland - Water Protection Ordinance - Water Polluting Liquids Classification	B
EU - European Pollutant Release and Transfer Register (E-PRTR) (166/2006) - Threshold Quantities	"100000 kg/yr TQ (air)" As Non-methane volatile organic compounds (NMVOCs) [RR-14069-2]
EU - REACH (1907/2006) - List of Registered Substances	Present
Germany - Water Classification - Substances According to AwSV Classified By or Based on the VwVwS	Reg. no. 105, hazard class 1 - slightly hazardous to water (footnote 4)
UNECE - Kiev Protocol on Pollutant Release and Transfer Registers (PRTR) - Annex II - Column 1a - Releases to Air	"100000 kg/yr" As Non-methane volatile organic compounds [RR-14069-2]
UNECE - Kiev Protocol on Pollutant Release and Transfer Registers (PRTR) - Annex II - Column 3	"100000 kg/yr" As Non-methane volatile compounds (NMVOC) [RR-14069-2]
Sodium Cumenesulfonate (CAS 28348-53-0)	
Switzerland - Chemical Risk Reduction Ordinance - Prohibited and Restricted Substances	"Use restricted. See annex 1.12 in the regulation" As Benzene compounds [RR-12328-4]
EU - REACH (1907/2006) - List of Registered Substances	Present
Germany - Water Classification - Substances According to AwSV Classified By or Based on the VwVwS	Reg. no. 1366, hazard class 1 - slightly hazardous to water
Benzylalkohol (CAS 100-51-6)	
Switzerland - Chemical Risk Reduction Ordinance - Prohibited and Restricted Substances	"Use restricted. See annex 1.12 in the regulation" As Benzene compounds [RR-12328-4]
Switzerland - Volatile Organic Compounds (VOCs) - Group I	2906.2100
Switzerland - Water Protection Ordinance - Water Polluting Liquids Classification	B
EU - Cosmetics (1223/2009) - Annex III - Other Limitations and Requirements	The presence of the substance must be indicated in the list of ingredients referred to in Article 19[1][g] when the concentration exceeds: 0.001% in leave-on products, 0.01% in rinse-off products Substance is a monoterpene, and is subject to restriction on peroxide value set out in entry 130 of Annex III to (EC) No 1223/2009 For purposes other than inhibiting the development of micro-organisms in the product. This purpose has to be apparent from the presentation of the product 1.0 % MAC
EU - Cosmetics (1223/2009) - Annex V - Preservatives - Maximum Authorised Concentration	
EU - European Pollutant Release and Transfer Register (E-PRTR) (166/2006) - Threshold Quantities	"100000 kg/yr TQ (air)" As Non-methane volatile organic compounds (NMVOCs) [RR-14069-2]

EU - REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	Use restricted. See entry 75.
EU - REACH (1907/2006) - List of Registered Intermediates	Present ([202-859-9])
EU - REACH (1907/2006) - List of Registered Substances	Present
Germany - Water Classification - Substances According to AwSV Classified By or Based on the VwVwS	Reg. no. 216, hazard class 1 - slightly hazardous to water
UNECE - Kiev Protocol on Pollutant Release and Transfer Registers (PRTR) - Annex II - Column 1a - Releases to Air	"100000 kg/yr" As Non-methane volatile organic compounds [RR-14069-2]
UNECE - Kiev Protocol on Pollutant Release and Transfer Registers (PRTR) - Annex II - Column 3	"100000 kg/yr" As Non-methane volatile compounds (NMVOC) [RR-14069-2]
Isotrideceth-5 (CAS 9043-30-5)	
EU - No-Longer Polymers List (67/548/EEC)	NLP No. 500-027-2 (>1<2.5 mol ethoxylated units)
Germany - Water Classification - Substances According to AwSV Classified By or Based on the VwVwS	Reg. no. 670, hazard class 2 - obviously hazardous to water (average 6 mol EO)
Fettalkoholethoxylat (CAS 68439-50-9)	
EU - No-Longer Polymers List (67/548/EEC)	NLP No. 500-213-3 (>1<2.5 mol ethoxylated units)
EU - REACH (1907/2006) - List of Registered Substances	Present
Germany - Water Classification - Substances According to AwSV Classified By or Based on the VwVwS	Reg. no. 670, hazard class 2 - obviously hazardous to water
2-Propanol; Isopropylalkohol; Isopropanol (CAS 67-63-0)	
Switzerland - Biocides - Annex II - Active Substances - Minimum Purity	99 w/w% Sunset Date: 06/30/2026
Switzerland - Biocides - Annex II - Active Substances - Product Type	Product Type: 1 Product Type: 2 Product Type: 4
Switzerland - Volatile Organic Compounds (VOCs) - Group I	2905.1290 (only this specific substance is subject to VOC duty)
Switzerland - Water Protection Ordinance - Water Polluting Liquids Classification	B
EU - Biocides (2007/565/EC) - Substances and Product-Types Not to Be Included in Annexes I, IA and IB to Directive 98/8/EC	Product type: 9 Product type: 10 Product type: 11 Product type: 12
EU - Biocides (528/2012/EU) - Active Substances	1 - Human hygiene (Commission Implementing Regulation 2023/1091/EU Commission Implementing Regulation 2023/1106/EU Commission Implementing Regulation 2023/1108/EU Commission Implementing Regulation 2023/1109/EU Commission Implementing Regulation 2023/1120/EU Commission Implementing Regulation 2023/1143/EU Commission Implementing Regulation 2023/1144/EU Commission Implementing Regulation 2024/2419/EU, listed under L+R Propanol PT1 Family

	Knieler & Team Propanol Family APESIN alcogel APESIN Spray Manorapid express GEL OP Plus APESIN Handaktiv Chemisept IPA-N Bactacid IPA-N Soft Care Med H5) 2 - Disinfectants and algaecides not intended for direct application to humans or animals (Commission Implementing Regulation 2015/407/EU Commission Implementing Regulation 2022/2252/EU Commission Implementing Decision 2019/2030/EU Commission Implementing Decision 2020/106/EU Commission Implementing Decision 2021/754/EU Commission Implementing Regulation 2023/1105/EU Commission Implementing Regulation 2023/2087/EU Commission Implementing Regulation 2024/1752/EU Commission Implementing Regulation 2024/2189/EU Commission Implementing Regulation 2024/2194/EU Commission Implementing Regulation 2024/2679/EU Commission Implementing Regulation 2025/86/EU Commission Implementing Regulation 2025/455/EU, listed under perform-IPA product family DEC-AHOL® product Family Knieler & Team Propanol Family IPA Family 1 Superficid express WIPES Lysoform IPA Surface ClearKlens wipes based on IPA Hydroflex IPA 70 Biocide SatPax® 70/30 IPA) 4 - Food and feed area disinfectant (Commission Implementing Regulation 2015/407/EU Commission Implementing Regulation 2022/2252/EU Commission Implementing Decision 2019/2030/EU Commission Implementing Decision 2020/106/EU Commission Implementing Decision 2021/754/EU Commission Implementing Regulation 2024/2194/EU Commission Implementing Regulation 2024/2679/EU, listed under perform-IPA product family Knieler & Team Propanol Family IPA Family 1 Hydroflex IPA 70 Biocide) "100000 kg/yr TQ (air)" As Non-methane volatile organic compounds (NMVOCs) [RR-14069-2]	
EU - European Pollutant Release and Transfer Register (E-PRTR) (166/2006) - Threshold Quantities		
EU - REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	Use restricted. See entry 75.	
EU - REACH (1907/2006) - List of Registered Substances	Present	
Germany - Water Classification - Substances According to AwSV Classified By or Based on the VwVwS	Reg. no. 135, hazard class 1 - slightly hazardous to water	
UNECE - Kiev Protocol on Pollutant Release and Transfer Registers (PRTR) - Annex II - Column 1a -	"100000 kg/yr" As Non-methane volatile organic compounds [RR-14069-2]	

Releases to Air	
UNECE - Kiev Protocol on Pollutant Release and Transfer Registers (PRTR) - Annex II - Column 3	"100000 kg/yr" As Non-methane volatile compounds (NMVOC) [RR-14069-2]
UNEP (United Nations Environment Programme) - Basel Convention - Hazardous Wastes - Annex I	"Y42 (except Halogenated solvents)" As Organic solvents excluding halogenated solvents [RR-10445-0]

15.2. Stoffsicherheitsbeurteilung Nicht erforderlich.

ABSCHNITT 16: Sonstige Angaben

Abänderungsvermerk	Dieses Datenblatt enthält Änderungen zur vorherigen Version in dem/den Abschnitt(en) : 1,2,3,11,12,15.
Schlüssel oder Legende für im Sicherheitsdatenblatt verwendete Abkürzungen und Akronyme	VeVA: Verordnung über den Verkehr mit Abfällen (SR 814.610)
Einstufungsverfahren	Berechnungsmethode.
Vollständiger Wortlaut der in den Kapiteln 2 und 3 aufgeführten Sätze	H225: Flüssigkeit und Dampf leicht entzündbar. H302: Gesundheitsschädlich bei Verschlucken. H317: Kann allergische Hautreaktionen verursachen. H318: Verursacht schwere Augenschäden. H319: Verursacht schwere Augenreizung. H336: Kann Schläfrigkeit und Benommenheit verursachen. H400: Sehr giftig für Wasserorganismen. H412: Schädlich für Wasserorganismen, mit langfristiger Wirkung.
Weitere Information	Gebrauchsanweisung auf dem Etikett beachten.
Anwendungshinweise	Nur für den gewerblichen Verwender.
Haftungsausschluss	Die Angaben in diesem Sicherheitsdatenblatt entsprechen nach bestem Wissen unseren Erkenntnissen bei Drucklegung.