S C H E D A D I D A T I D I S I C U R E Z Z A

secondo il Regolamento (CE) No 1907/2006
(modificato dal regolamento (UE) 2020/878)

Steinfels Activ Forte

SEZIONE 1: Identificazione della sostanza/miscela e della società/impresa

1.1. Identificatore del prodotto

Nome del prodotto	Steinfels Activ Forte
Codice prodotto	16506.0003.005/143527
L'identificatore unico di formula (UFI)	UDF7-7P5N-YAG5-NN02

1.2. Usi identificati pertinenti della sostanza o della miscela e usi sconsigliati

Uso della sostanza/della miscela	Agente pulente

1.3. Informazioni sul fornitore della scheda di dati di sicurezza

Identificazione della società/dell'impresa	Steinfels Swiss Division der Coop Genossenschaft St. Gallerstrasse 180 CH-8404 Winterthur Tel : 052 234 44 00 Fax : 052 234 44 01 info@steinfels-swiss.ch
1.4. Numero telefonico di emergenza	145 (Tox Info Suisse)
Data di revisione	14.10.2026
Versione	1.1 (Versione anteriore: 1)

SEZIONE 2: Identificazione dei pericoli

2.1. Classificazione della sostanza o della miscela

Classificazione secondo il Regolamento (CE) Num. 1272/2008

Lesioni oculari gravi/irritazione oculare, Categoria 1, H318
Corrosione/irritazione cutanea, Categoria 2, H315

Informazioni supplementari

Per il testo completo delle frasi menzionate in questa sezione, riferirsi alla sezione 16.

2.2. Elementi dell'etichetta



Avvertenza

Pericolo

Indicazioni di pericolo

H315: Provoca irritazione cutanea.
H318: Provoca gravi lesioni oculari.

Consigli di prudenza

P264: Lavare accuratamente la pelle dopo l'uso.
P280: Indossare guanti protettivi, proteggere gli occhi e il viso.
P302+P352: IN CASO DI CONTATTO CON LA PELLE: lavare abbondantemente con acqua e sapone.
P305+P351+P338: IN CASO DI CONTATTO CON GLI OCCHI: sciacquare accuratamente per parecchi minuti. Togliere le eventuali lenti a contatto se è agevole farlo. Continuare a sciacquare.
P312: In caso di malessere, contattare un CENTRO ANTIVELENI o un medico.
P501: Smaltire il contenuto in un impianto d´eliminazione di rifiuti speciali autorizzato.

Informazioni supplementari

Nessuno(a).

Identificatore del prodotto

Alcol grasso etossilato, N. CAS 9043-30-5 I 24938-91-8 I 69011-36-5

2.3. Altri pericoli

Questa miscela non contiene sostanze classificate come PBT, vPvB o interferenti endocrini in una concentrazione superiore allo 0,1%.

SEZIONE 3: Composizione/informazioni sugli ingredienti

3.2. Miscele

Prodotto formulato.

Componenti	Peso %	Classificazione CLP	Identificatore del prodotto
2-(2-butossietossietanolo)	5% - 10%	Eye Irrit. 2 H319	N. CAS: 112-34-5 N. CE: 203-961-6 N. INDICE: 603-096-00-8
Alcol grasso etossilato	2.5% - 5%	Eye Dam. 1 H318, Acute Tox. 4 H302	N. CAS: 9043-30-5 I 24938-91-8 I 69011-36-5

propan-2-ol; isopropyl alcohol; isopropanol	1% - 2.5%	Eye Irrit. 2 H319, STOT SE 3 H336, Flam. Liq. 2 H225	N. CAS: 67-63-0 N. CE: 200-661-7 N. INDICE: 603-117-00-0
sulfonato di cumene di sodio	1% - 2.5%	Eye Irrit. 2 H319	N. CAS: 28348-53-0 N. CE: 248-983-7
Idrossido di potassio; potassa caustica	0.1% - 1%	Acute Tox. 4 H302, Skin Corr. 1A H314 [Skin Corr. 1A H314: C ≥ 5 % ¦ Skin Corr. 1B H314: 2 % ≤ C < 5 % ¦ Skin Irrit. 2 H315: 0,5 % ≤ C < 2 % ¦ Eye Irrit. 2 H319: 0,5 % ≤ C < 2 %]	N. CAS: 1310-58-3 N. CE: 215-181-3 N. INDICE: 019-002-00-8

Per il testo completo delle frasi menzionate in questa sezione, riferirsi alla sezione 16.

Impurezze nocive Non conosciuti.

SEZIONE 4: Misure di primo soccorso

4.1. Descrizione delle misure di primo soccorso

Inalazione Portare all'aria aperta. In caso di inalazione dell'aerosol o nebbia se necessario consultare un medico.

Contatto con la pelle Lavare subito abbondantemente con acqua. Togliere gli indumenti contaminati e le scarpe. Trattamento medico immediato si rende necessario in quanto gli effetti corrosivi sulla pelle mostrano una lenta e cattiva guarigione della piaga.

Contatto con gli occhi Sciacquare immediatamente con molta acqua anche sotto le palpebre, per almeno 15 minuti. Se ciò risulta facile, togliere le lenti a contatto, nel caso esse vengano portate. Consultare l'occulista.

Ingestione Sciacquare la bocca con acqua e berne abbondantemente. NON indurre il vomito. Se una persona non si sente bene o appaiono sintomi di irritazione cutanea, consultare un medico.

4.2. Principali sintomi ed effetti, sia acuti e che ritardati Il soccorritore deve munirsi di protezione individuale. In caso di incidente o di malessere consultare immediatamente il medico (se possibile, mostrargli l'etichetta).

4.3. Indicazione dell'eventuale necessità di consultare immediatamente un medico e trattamenti speciali Non conosciuti.

SEZIONE 5: Misure di lotta antincendio

5.1. Mezzi di estinzione

Mezzi di estinzione idonei	Qualunque.
Mezzi di estinzione non idonei	Getto d'acqua abbondante.
5.2. Pericoli speciali derivanti dalla sostanza o dalla miscela	Il prodotto non è infiammabile. Durante un incendio il fumo può contenere il materiale originario oltre a composti tossici e/o irritanti non identificati. Raccogliere separatamente le acque di spegnimento contaminate che non devono essere scaricate nelle fognature.

5.3. Raccomandazioni per gli addetti all'estinzione degli incendi

Equipaggiamento speciale di protezione per gli addetti all'estinzione degli incendi	Procedura normale per incendi di origine chimica. In caso di incendio, indossare apparecchio respiratorio con apporto d'aria indipendente. Indossare un abito protettivo contro i prodotti chimici.
Metodi specifici	Utilizzare sistemi estinguenti compatibili con la situazione locale e con l'ambiente circostante. In caso di incendio, raffreddare i contenitori con getti d'acqua.

SEZIONE 6: Misure in caso di rilascio accidentale

6.1. Precauzioni personali, dispositivi di protezione e procedure in caso di emergenza

Per chi non interviene direttamente	Usare i dispositivi di protezione individuali. Evitare il contatto con la pelle e gli occhi. Raccogliere per evitare il pericolo di scivolamento. Evacuare il personale in aree di sicurezza.
Per chi interviene direttamente	Die beim Umgang mit Chemikalien üblichen Vorsichtsmassnahmen sind zu beachten.
6.2. Precauzioni ambientali	Evitare la penetrazione nel sottosuolo. Non contaminare la falda e le acque superficiali. Le autorità locali devono essere informate se le perdite non possono essere circoscritte.
6.3. Metodi e materiali per il contenimento e per la bonifica	Impregnare con materiale assorbente inerte e smaltire come rifiuto (vedere SEZ. 13). Dopo la rimozione pulire ogni traccia con acqua.

SEZIONE 7: Manipolazione e immagazzinamento

7.1. Precauzioni per la manipolazione sicura	Durante l'utilizzo, non mangiare, bere o fumare. Si dovrebbero evitare l'ingestione, l'esposizione della pelle e degli occhi e l'inalazione di qualsiasi vapore generato. Indossare indumenti protettivi. Non mescolare mai direttamente i prodotti concentrati. Predisporre le misure di pronto soccorso prima di iniziare a lavorare con questo prodotto. Evitare la formazione di aerosol. Smaltire l'acqua di lavaggio secondo le normative nazionali e locali. Non gettare i residui nelle fognature.
7.2. Condizioni per l'immagazzinamento sicuro, comprese eventuali incompatibilità	Immagazzinare in un luogo accessibile solo a persone autorizzate. Evitare la luce diretta. Tenere il contenitore chiuso ermeticamente. Non immagazzinare in prossimità di acidi. Non conservare in contatto con prodotti alimentari. Non congelare.
7.3. Usi finali particolari	Nessuna informazione disponibile.

SEZIONE 8: Controlli dell'esposizione/della protezione individuale

8.1. Parametri di controllo

Limite(i) di esposizione	Non sono disponibili informazioni sul prodotto specifico.

2-(2-butossietossietanolo) (CAS 112-34-5)

Scientific Committee on Occupational Exposure Limits (SCOEL) - Opinions - STELs	15 ppm STEL 101.2 mg/m3 STEL
Scientific Committee on Occupational Exposure Limits (SCOEL) - Opinions - TWAs	10 ppm TWA 67.5 mg/m3 TWA
Switzerland - Occupational Exposure Limits - Developmental Risk Groups	Developmental Risk Group C
Switzerland - Occupational Exposure Limits - STELs - (KZGWs)	15 ppm STEL [KZGW] (aerosol, vapour) 101 mg/m3 STEL [KZGW] (aerosol, vapour)
Switzerland - Occupational Exposure Limits - TWAs - (MAKs)	10 ppm TWA [MAK] (aerosol, vapour) 67 mg/m3 TWA [MAK] (aerosol, vapour)
EU - Occupational Exposure (2006/15/EC) - Second List of Indicative Occupational Exposure Limit Values - STELs	15 ppm STEL 101.2 mg/m3 STEL
EU - Occupational Exposure (2006/15/EC) - Second List of Indicative Occupational Exposure Limit Values - TWAs	10 ppm TWA 67.5 mg/m3 TWA

propan-2-ol; isopropyl alcohol; isopropanol (CAS 67-63-0)

Switzerland - Biological Limit Values (BAT-Werte)	25 mg/L Medium: urine Time: end of shift Parameter: Acetone 0.4 mmol/L Medium: urine Time: end of shift Parameter: Acetone 25 mg/L Medium: whole blood Time: end of shift Parameter: Acetone 0.4 mmol/L Medium: whole blood Time: end of shift Parameter: Acetone
Switzerland - Occupational	Developmental Risk Group C

Exposure Limits - Developmental Risk Groups	
Switzerland - Occupational Exposure Limits - STELs - (KZGWs)	400 ppm STEL [KZGW] INRS NIOSH 1000 mg/m3 STEL [KZGW] INRS NIOSH
Switzerland - Occupational Exposure Limits - TWAs - (MAKs)	200 ppm TWA [MAK] INRS NIOSH 500 mg/m3 TWA [MAK] INRS NIOSH
EU - Occupational Exposure (2004/37/EC) - List of Substances, Mixtures and Processes	"Present" As Strong acid process in the manufacture of isopropyl alcohol [RR-00068-0]

Idrossido di potassio; potassa caustica (CAS 1310-58-3)

Switzerland - Occupational Exposure Limits - STELs - (KZGWs)	2 mg/m3 STEL [KZGW] NIOSH (the STEL must never be exceeded, inhalable dust)

PNEC/DNEL

2-(2-butossietossietanolo) (CAS 112-34-5)

EU - REACH (1907/2006) - Registration Data - Derived No Effect Levels (DNELs)	general population oral systemic effects long term exposure 6.25 mg/kg bw/day DNEL (203-961-6) workers inhalation local effects long term exposure 67.5 mg/m3 DNEL (203-961-6) workers inhalation local effects acute/short term exposure 101.2 mg/m3 DNEL (203-961-6)
EU - REACH (1907/2006) - Registration Data - Predicted No Effect Concentrations (PNECs)	56 mg/kg food PNEC (oral, 203-961-6) 1.1 mg/L PNEC (freshwater, 203-961-6) 0.11 mg/L PNEC (marine water, 203-961-6) 11 mg/L PNEC (freshwater (intermittent releases), 203-961-6) 4.4 mg/kg sediment dw PNEC (sediment (freshwater), 203-961-6) 0.44 mg/kg sediment dw PNEC (sediment (marine water), 203-961-6) 0.32 mg/kg soil dw PNEC (soil, 203-961-6)

propan-2-ol; isopropyl alcohol; isopropanol (CAS 67-63-0)

EU - REACH (1907/2006) - Registration Data - Derived No Effect Levels (DNELs)	general population oral systemic effects acute/short term exposure 51 mg/kg bw/day DNEL (200-661-7) general population oral systemic effects long term exposure 26 mg/kg bw/day DNEL (200-661-7) general population inhalation systemic effects long term exposure 89 mg/m3 DNEL (200-661-7) general population dermal systemic effects long term exposure 319 mg/kg bw/day DNEL (200-661-7) workers inhalation systemic effects long term exposure 500 mg/m3 DNEL (200-661-7) workers dermal systemic effects long term exposure 888 mg/kg bw/day DNEL (200-661-7) workers inhalation systemic effects acute/short term exposure 1000 mg/m3 DNEL (200-661-7) general population inhalation systemic effects acute/short term exposure 178 mg/m3 DNEL (200-661-7)

sulfonato di cumene di sodio (CAS 28348-53-0)

EU - REACH (1907/2006) - Registration Data - Derived No Effect Levels (DNELs)	general population dermal local effects long term exposure 0.45 mg/cm2 DNEL (248-983-7) general population oral systemic effects long term exposure 1.14 mg/kg bw/day DNEL (248-983-7) general population inhalation systemic effects long term exposure 1.98 mg/m3 DNEL (248-983-7) general population inhalation local effects long term exposure 1.98 mg/m3 DNEL (248-983-7) workers inhalation systemic effects long term exposure 4.02 mg/m3

	DNEL (248-983-7) workers inhalation local effects long term exposure 4.02 mg/m3 DNEL (248-983-7) workers dermal local effects long term exposure 4.49 mg/cm2 DNEL (248-983-7) general population dermal systemic effects long term exposure 16 mg/kg bw/day DNEL (248-983-7) workers dermal systemic effects acute/short term exposure 20 mg/kg bw/day DNEL (248-983-7) workers dermal systemic effects long term exposure 32 mg/kg bw/day DNEL (248-983-7) general population dermal systemic effects acute/short term exposure 40 mg/kg bw/day DNEL (248-983-7) general population oral systemic effects acute/short term exposure 70 mg/kg bw/day DNEL (248-983-7) workers inhalation systemic effects acute/short term exposure 770 mg/m3 DNEL (248-983-7) workers inhalation local effects acute/short term exposure 770 mg/m3 DNEL (248-983-7) general population inhalation systemic effects acute/short term exposure 770 mg/m3 DNEL (248-983-7) general population inhalation local effects acute/short term exposure 770 mg/m3 DNEL (248-983-7)
EU - REACH (1907/2006) - Registration Data - Predicted No Effect Concentrations (PNECs)	0.23 mg/L PNEC (freshwater, 248-983-7) 0.023 mg/L PNEC (marine water, 248-983-7) 2.3 mg/L PNEC (freshwater (intermittent releases), 248-983-7) 0.89 mg/kg sediment dw PNEC (sediment (freshwater), 248-983-7) 0.089 mg/kg sediment dw PNEC (sediment (marine water), 248-983-7) 160 mg/L PNEC (sewage treatment, 248-983-7) 1.954 mg/kg soil dw PNEC (soil, 248-983-7)

Idrossido di potassio; potassa caustica (CAS 1310-58-3)

EU - REACH (1907/2006) - Registration Data - Derived No Effect Levels (DNELs)	workers inhalation local effects long term exposure 1 mg/m3 DNEL (215-181-3) general population inhalation local effects long term exposure 1 mg/m3 DNEL (215-181-3)

8.2. Controlli dell’esposizione

Controlli tecnici adeguati	Assicurare un'adeguata areazione, specialmente in zone chiuse. Evitare il contatto con la pelle, con gli occhi e con gli indumenti. Manipolare rispettando le buone pratiche di igiene industriale e di sicurezza adeguate. Lavarsi le mani prima delle pause e subito dopo aver maneggiato il prodotto.

Protezione individuale

Protezione respiratoria	Apparato respiratorio soltanto in presenza di aerosol o vapori.
Protezione delle mani	I guanti di protezione selezionati devono soddisfare le esigenze del Regolamento (CE) n. 2016/425 e gli standard EN 374 che ne derivano. Contatto totale (Definizione contatto fino al massimo 480 minuti)Materiale: gomma butilica spessore minimo: 0.47mm +/-0.05mm Tempo di penetrazione: 480 minuti Materiale testato: Butoject 897+ Contatto da spruzzo (definizione contatto fino al massimo 30 minuti) Materiale: gomma nitrilica spessore minimo: 0.2mm Materiale testato: Dermatril (R) P 743 La scelta di un guanto

	appropriato non dipende unicamente dal materiale di cui è fatto, ma anche da altre caratteristiche di qualità e le sue particolarità da un produttore all'altro.
Protezione degli occhi	Occhiali di protezione con schermi laterali.
Protezione della pelle e del corpo	Per proteggere dagli spruzzi di pioggia: Grembiule in gomma o plastica. Rimuovere e lavare indumenti contaminati prima di riutilizzarli.
Pericoli termici	Non sono richieste precauzioni speciali.
Controlli dell'esposizione ambientale	Non sono richieste precauzioni speciali.

SEZIONE 9: Proprietà fisiche e chimiche

9.1. Informazioni sulle proprietà fisiche e chimiche fondamentali

Stato fisico	Liquido.
Colore	Giallo chiaro.
Odore	Caratteristico/a.
Punto di fusione/ punto di congelamento:	Non determinato.
Punto di ebollizione o punto iniziale /intervallo di ebollizione:	Non determinato.
Infiammabilità:	Non determinato.
Limite inferiore e superiore di esplosività:	Non determinato.
Punto di infiammabilità:	infiammabile
Temperatura di autoaccensione:	Non determinato.
Temperatura di decomposizione:	Non determinato.
pH:	12.5
Viscosità cinematica:	Non determinato.
La solubilità:	completamente solubile (Acqua)
Coefficiente di ripartizione n-ottanolo/acqua (valore logaritmico):	Non determinato.
Tensione di vapore:	Non determinato.
Densità e/o densità relativa:	1.0271
Densità di vapore relativa:	Non determinato.
Caratteristiche delle particelle:	Non applicabile.

9.2. Altre informazioni

9.2.1 Informazioni relative alle classi di pericoli fisici	Nessuna informazione disponibile.
9.2.2 Altre caratteristiche di sicurezza	Nessuna informazione disponibile.

SEZIONE 10: Stabilità e reattività

10.1. Reattività	Nessuna informazione disponibile.

10.2. Stabilità chimica	Nessuna decomposizione se immagazzinato e usato come indicato.
10.3. Possibilità di reazioni pericolose	Si possono liberare gas tossici in caso di contatto con quanto segue : Acido
10.4. Condizioni da evitare	Reazione esotermica con acidi forti.
10.5. Materiali incompatibili	Incompatibile con gli acidi. Incompatibile con agenti ossidanti.
10.6. Prodotti di decomposizione pericolosi	La decomposizione termica può portare al rilascio di gas e vapori irritanti.

SEZIONE 11: Informazioni tossicologiche

11.1. Informazioni sugli effetti tossicologici

Tossicità acuta	**2-(2-butossietossietanolo) (CAS 112-34-5)** LD50/orale 2000 mg/kg. **propan-2-ol; isopropyl alcohol; isopropanol (CAS 67-63-0)** Dermal LD50 Rabbit = 4059 mg/kg (JAPAN_GHS) Inhalation LC50 Rat > 10000 ppm 6 h(ECHA_API) Oral LD50 Rat 4710 - 5840 mg/kg (OECD_SIDS) **sulfonato di cumene di sodio (CAS 28348-53-0)** Dermal LD50 Rabbit > 2000 mg/kg (ECHA_API) Inhalation LC50 Rat > 770 mg/L 4 h(ECHA_API) Oral LD50 Rat > 7000 mg/kg (NLM_CIP) **Idrossido di potassio; potassa caustica (CAS 1310-58-3)** Oral LD50 Rat = 284 mg/kg (JAPAN_GHS)
Corrosione cutanea/irritazione cutanea	Provoca irritazione cutanea.
Gravi danni oculari/irritazione oculare	Provoca gravi lesioni oculari.
Sensibilizzazione respiratoria o cutanea	Nessun dato disponibile.
Cancerogenicità	Nessun dato disponibile.
Mutagenicità sulle cellule germinali	Nessun dato disponibile.
Tossicità per la riproduzione	Nessun dato disponibile.
Tossicità specifica per organi bersaglio - esposizione singola	Nessun dato disponibile.
Tossicità specifica per organi bersaglio - esposizione ripetuta	Nessun dato disponibile.
Pericolo in caso di aspirazione	Nessun dato disponibile.
Esperienza umana	Nessun dato disponibile.

11.2. Informazioni su altri pericoli

Proprietà di interferenza con il sistema endocrino	Questa miscela non contiene componenti con proprietà di interferenza con il sistema endocrino in quantità pari o superiore allo 0,1% (secondo l'articolo 57(f) del REACH o il Regolamento delegato (UE) 2017/2100 della Commissione o il Regolamento delegato (UE) 2018/605 della Commissione).
Altre informazioni	Nessun dato disponibile.

SEZIONE 12: Informazioni ecologiche

12.1. Tossicità	Nessun dato disponibile.

2-(2-butossietossietanolo) (CAS 112-34-5)

EU - Ecolabel (66/2010) - Detergent Ingredient Database - Aerobic Degradation	Readily biodegradable according to OECD guidelines.
EU - Ecolabel (66/2010) - Detergent Ingredient Database - Anaerobic Degradation	The ingredient has not been tested.
Ecotoxicity - Freshwater Algae - Acute Toxicity Data	EC50 96 h Desmodesmus subspicatus >100 mg/L (IUCLID)
Ecotoxicity - Freshwater Fish - Acute Toxicity Data	LC50 96 h Lepomis macrochirus 1300 mg/L [static] (EPA)
Ecotoxicity - Water Flea - Acute Toxicity Data	EC50 48 h Daphnia magna >100 mg/L (IUCLID)
Environmental Fate - Biodegradation in Water	85 % 28 d degradation (O2 consumption) OECD Guideline 301 C (Modified MITI Test (I)) (ECHA_API)
Physical Properties - Bioconcentration Factors (BCFs)	no bioconcentration expected
Physical Properties - Coefficient of Octanol/Water Distribution (log Kow)	1 at 20 °C [OECD Guideline 117] (at pH 7, ECHA_API) (ECHA_API)

propan-2-ol; isopropyl alcohol; isopropanol (CAS 67-63-0)

EU - Ecolabel (66/2010) - Detergent Ingredient Database - Aerobic Degradation	"Readily biodegradable according to OECD guidelines." As C1-4 Alcohols [RR-42984-5]
EU - Ecolabel (66/2010) - Detergent Ingredient Database - Anaerobic Degradation	"Biodegradable under anaerobic conditions." As C1-4 Alcohols [RR-42984-5]
Ecotoxicity - Freshwater Algae - Acute Toxicity Data	EC50 96 h Desmodesmus subspicatus >1000 mg/L (IUCLID) EC50 72 h Desmodesmus subspicatus >1000 mg/L (IUCLID)
Ecotoxicity - Freshwater Fish - Acute Toxicity Data	LC50 96 h Pimephales promelas 9640 mg/L [flow-through] (IUCLID) LC50 96 h Pimephales promelas 11130 mg/L [static] (IUCLID) LC50 96 h Lepomis macrochirus >1400000 µg/L (EPA)
Ecotoxicity - Water Flea - Acute Toxicity Data	EC50 48 h Daphnia magna 13299 mg/L (IUCLID)
Physical Properties - Coefficient of Octanol/Water Distribution (log Kow)	0.05 at 25 °C (ECHA_API)

sulfonato di cumene di sodio (CAS 28348-53-0)

Ecotoxicity - Freshwater Algae - Acute Toxicity Data	EC50 72 h Desmodesmus subspicatus >1000 mg/L (IUCLID)
Environmental Fate - Biodegradation in Water	>=103 - <=109 % 28 d degradation (CO2 evolution) OECD Guideline 301 E (Modified OECD Screening Test) (ECHA_API)

Idrossido di potassio; potassa caustica (CAS 1310-58-3)

Physical Properties - Coefficient of Octanol/Water Distribution (log Kow)	0.65 0.83

12.2. Persistenza e degradabilità Il(i) tensioattivo(i) contenuto(i) in questo formulato è (sono) conforme(i) ai criteri di biodegradabilità stabiliti del Regolamento (CE) n. 648/2004 relativo ai detergenti. Tutti i dati di supporto sono tenuti a disposizione delle autorità competenti degli Stati membri e saranno forniti, su loro esplicita richiesta o su richiesta di un produttore del formulato, alle suddette autorità.

12.3. Potenziale di bioaccumulo Nessun dato disponibile.

12.4. Mobilità nel suolo Nessun dato disponibile.

12.5. Risultati della valutazione PBT e vPvB Questo preparato non contiene sostanze considerate come persistenti, bioaccumulanti o tossiche (PBT). Questo preparato non contiene sostanze considerate come molto persistenti e nemmeno molto bioaccumulanti (vPvB).

12.6. Proprietà di interferenza con il sistema endocrino Non contiene sostanze chimiche che alterano il sistema endocrino.

12.7. Altri effetti avversi Nessuna informazione disponibile.

SEZIONE 13: Considerazioni sullo smaltimento

13.1. Metodi di trattamento dei rifiuti

Rifiuti dagli scarti / prodotti inutilizzati Smaltire come rifiuto speciale secondo le normative locali e nazionali.

Contenitori contaminati I contenitori vuoti dovrebbero essere trasportati in un sito autorizzato per il riciclaggio o l'eliminazione.

SEZIONE 14: Informazioni sul trasporto

14.1. Numero ONU o numero ID Non applicabile.

14.2. Designazione ufficiale ONU di trasporto Non applicabile.

14.3. Classi di pericolo connesso al trasporto Non applicabile.

14.4. Gruppo d'imballaggio Non applicabile.

14.5. Pericoli per l'ambiente Non applicabile.

14.6. Precauzioni speciali per gli utilizzatori Non applicabile.

14.7. Trasporto marittimo alla rinfusa conformemente agli atti dell'IMO	Non applicabile.
Regolamenti tipo dell'ONU	
ADR/RID	Non regolamentato.
IMDG	Non regolamentato.
IATA	Non regolamentato.
Ulteriori informazioni	Merce non pericolosa ai sensi dei regolamenti sui trasporti.

SEZIONE 15: Informazioni sulla regolamentazione

15.1. Disposizioni legislative e regolamentari su salute, sicurezza e ambiente specifiche per la sostanza o la miscela

Informazioni sulla regolamentazione	Ingredienti secondo il Regolamento (CE) 648/2004: >=30%: acqua <5%: tensioattivi non ionici, tensioattivi anionici, sapone Ordinanza sulla protezione dei giovani lavoratori (OLL 5, RS 822.115): gli adolescenti fino a 18 anni possono entrare in contatto o essere esposti a questo prodotto durante il loro lavoro, se ciò è previsto dal rispettivo regolamento sull'istruzione per raggiungere i loro obiettivi educativi e i prerequisiti del piano educativo sono soddisfatti. I giovani che non seguono una formazione professionale di base non sono autorizzati a lavorare con questo prodotto. Classe di contaminazione dell'acqua (WGK) = 2. VOC (CH) = 8.50000000

2-(2-butossietossietanolo) (CAS 112-34-5)

Switzerland - Chemical Risk Reduction Ordinance - Prohibited and Restricted Substances	Use restricted. See annex 2.3 in the regulation
Switzerland - Volatile Organic Compounds (VOCs) - Group I	2909.4390 (only this specific substance is subject to VOC duty, 2909.4390)
EU - Cosmetics (1223/2009) - Annex III - Field of Application and/or Use	Solvent in hair dye products
EU - Cosmetics (1223/2009) - Annex III - Maximum Authorised Concentration	9 % MAC
EU - Cosmetics (1223/2009) - Annex III - Other Limitations and Requirements	No use in aerosol dispensers (sprays)
EU - European Pollutant Release and Transfer Register (E-PRTR) (166/2006) - Threshold Quantities	"100000 kg/yr TQ (air)" As Non-methane volatile organic compounds (NMVOCs) [RR-14069-2]
EU - REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	Use restricted. See entry 55. Use restricted. See entry 75.
EU - REACH (1907/2006) - List of Registered Substances	Present
UNECE - Kiev Protocol on Pollutant	"100000 kg/yr" As Non-methane volatile organic compounds [RR-

Release and Transfer Registers (PRTR) - Annex II - Column 1a - Releases to Air	14069-2]
UNECE - Kiev Protocol on Pollutant Release and Transfer Registers (PRTR) - Annex II - Column 3	"100000 kg/yr" As Non-methane volatile compounds (NMVOC) [RR-14069-2]

propan-2-ol; isopropyl alcohol; isopropanol (CAS 67-63-0)

Switzerland - Biocides - Annex II - Active Substances - Minimum Purity	99 w/w% Sunset Date: 12/31/2028
Switzerland - Biocides - Annex II - Active Substances - Product Type	Product Type: 1 Product Type: 2 Product Type: 4
Switzerland - Volatile Organic Compounds (VOCs) - Group I	2905.1290 (only this specific substance is subject to VOC duty, 2905.1290)
Switzerland - Water Protection Ordinance - Water Polluting Liquids Classification	B
EU - Biocides (2007/565/EC) - Substances and Product-Types Not to Be Included in Annexes I, IA and IB to Directive 98/8/EC	Product type: 9 Product type: 10 Product type: 11 Product type: 12
EU - Biocides (528/2012/EU) - Active Substances	1 - Human hygiene (Commission Implementing Regulation 2023/1091/EU Commission Implementing Regulation 2023/1106/EU Commission Implementing Regulation 2023/1108/EU Commission Implementing Regulation 2023/1109/EU Commission Implementing Regulation 2023/1120/EU Commission Implementing Regulation 2023/1143/EU Commission Implementing Regulation 2023/1144/EU Commission Implementing Regulation 2024/2419/EU Commission Implementing Regulation 2025/1867/EU Commission Implementing Regulation 2025/1885/EU Commission Implementing Regulation 2025/2074/EU Commission Implementing Regulation 2025/2200/EU Commission Implementing Regulation 2026/277/EU Commission Implementing Decision 2026/380/EU Commission Implementing Decision 2026/1114/EU Commission Implementing Regulation 2026/1410/EU Commission Implementing Regulation 2026/1429/EU, listed under L+R Propanol PT1 Family Knieler & Team Propanol Family APESIN alcogel APESIN Spray M;N Bacticid IPA-N Soft Care Med H5 Sterillium liquid Septihol IPA products BPF Propan-2-ol Dr Deppe Braun Medical Propanol Family Propanol PT1 Family) 2 - Disinfectants and algaecides not intended for direct application to humans or animals (Commission Implementing Regulation 2015/407/EU Commission Implementing Regulation 2022/2252/EU Commission Implementing Decision 2019/2030/EU Commission Implementing Decision 2020/106/EU Commission Implementing Decision 2021/754/EU

	Commission Implementing Regulation 2023/1105/EU Commission Implementing Regulation 2023/2087/EU Commission Implementing Regulation 2024/1752/EU Commission Implementing Regulation 2024/2189/EU Commission Implementing Regulation 2024/2194/EU Commission Implementing Regulation 2024/2679/EU Commission Implementing Regulation 2025/86/EU Commission Implementing Regulation 2025/455/EU Commission Implementing Regulation 2025/1876/EU Commission Implementing Regulation 2025/2034/EU Commission Implementing Regulation 2025/2074/EU Commission Implementing Regulation 2025/2104/EU Commission Implementing Regulation 2025/2221/EU Commission Implementing Regulation 2025/2553/EU Commission Implementing Regulation 2026/277/EU Commission Implementing Regulation 2026/367/EU Commission Implementing Decision 2026/380/EU Commission Implementing Regulation 2026/488/EU, listed under perform-IPA product family DEC-AHOL® product Family Knieler & Team Propanol Family IPA Family 1 Superficid express WIPES Lysoform IPA Surface ClearKlens wipes based on IPA Hydroflex IPA 70 Biocide SatPax® 70/30 IPA Septihol IPA products ClearKlens wipes based on IPA Braun Medical Propanol Family CVAS Disinfectant product based on Propan-2-ol IPA Family 1 Pal IPA Product Family) 4 - Food and feed area disinfectant (Commission Implementing Regulation 2015/407/EU Commission Implementing Regulation 2022/2252/EU Commission Implementing Decision 2019/2030/EU Commission Implementing Decision 2020/106/EU Commission Implementing Decision 2021/754/EU Commission Implementing Regulation 2024/2194/EU Commission Implementing Regulation 2024/2679/EU Commission Implementing Regulation 2025/1876/EU Commission Implementing Regulation 2025/2074/EU Commission Implementing Regulation Commission Implementing Regulation 2025/2221/EU Commission Implementing Regulation 2026/277/EU Commission Implementing Regulation 2026/367/EU Commission Implementing Decision 2026/380/EU, listed under perform-IPA product family Knieler & Team Propanol Family IPA Family 1 Hydroflex IPA 70 Biocide Septih vol IPA products Braun Medical Propanol Family CVAS Disinfectant product based on Propan-2-ol IPA Family 1 Pal IPA Product Family)
EU - European Pollutant Release and Transfer Register (E-PRTR)	"100000 kg/yr TQ (air)" As Non-methane volatile organic compounds (NMVOCs) [RR-14069-2]

(166/2006) - Threshold Quantities	
EU - REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	Use restricted. See entry 75.
EU - REACH (1907/2006) - List of Registered Substances	Present
UNECE - Kiev Protocol on Pollutant Release and Transfer Registers (PRTR) - Annex II - Column 1a - Releases to Air	"100000 kg/yr" As Non-methane volatile organic compounds [RR-14069-2]
UNECE - Kiev Protocol on Pollutant Release and Transfer Registers (PRTR) - Annex II - Column 3	"100000 kg/yr" As Non-methane volatile compounds (NMVOC) [RR-14069-2]
UNEP (United Nations Environment Programme) - Basel Convention - Hazardous Wastes - Annex I	"Y42 (except Halogenated solvents)" As Organic solvents excluding halogenated solvents [RR-10445-0]
sulfonato di cumene di sodio (CAS 28348-53-0)	
Switzerland - Chemical Risk Reduction Ordinance - Prohibited and Restricted Substances	"Use restricted. See annex 1.12 in the regulation" As Benzene compounds [RR-12328-4]
EU - REACH (1907/2006) - List of Registered Substances	Present
Idrossido di potassio; potassa caustica (CAS 1310-58-3)	
Switzerland - Chemical Risk Reduction Ordinance - Prohibited and Restricted Substances	"Use restricted. See annex 2.12 in the regulation (in liquid phase or solution)" As Bases [RR-14270-1]
Switzerland - Water Protection Ordinance - Water Polluting Liquids Classification	B (solution)
EU - Cosmetics (1223/2009) - Annex III - Conditions of Use and Warnings	Keep out of reach of children. Avoid contact with eyes. (pH adjuster for depilatories) Contains alkali. Avoid contact with eyes. Can cause blindness. Keep out of reach of children. (nail cuticle solvent) For professional use only. Avoid contact with eyes. Can cause blindness. (hair straightener, professional use) Contains alkali. Avoid contact with eyes. Can cause blindness. Keep out of reach of children. (hair straightener, general use) Contains alkali. Avoid contact with eyes. Keep out of reach of children. Read directions for use carefully. (callosity softener, remover)
EU - Cosmetics (1223/2009) - Annex III - Field of Application and/or Use	Callosity softener, remover Nail cuticle solvent Hair straightener pH adjuster for depilatories Other uses as pH adjuster
EU - Cosmetics (1223/2009) - Annex III - Maximum Authorised Concentration	5 % MAC (nail cuticle solvent, as Sodium hydroxide) 4.5 % MAC (hair straighteners, professional use, as Sodium hydroxide) 2 % MAC (hair straighteners, general use, as Sodium hydroxide) 1.5 % MAC (callosity softener, remover)
EU - Cosmetics (1223/2009) - Annex III - Other Limitations and Requirements	<12.7 pH (pH adjuster for depilatories) <11 pH (other uses as pH adjuster) General use, professional use (hair straighteners)
EU - REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	Use restricted. See entry 75.
EU - REACH (1907/2006) - List of Registered Intermediates	Present ([215-181-3])
EU - REACH (1907/2006) - List of Registered Substances	Present

UNEP (United Nations Environment Programme) - Basel Convention - Hazardous Wastes - Annex I	"Y35 (solid or solution, listed under Basic solutions or bases in solid form)" As Bases [RR-14270-1]
15.2. Valutazione della sicurezza chimica	Non richiesto.

SEZIONE 16: Altre informazioni

Nota di Revisione	Paragrafi della scheda di sicurezza che sono stati aggiornati: 1, 2, 8, 11, 12, 15, 16.
Spiegazione o legenda delle abbreviazioni e degli acronimi utilizzati nella scheda dati di sicurezza	Nessuno(a).
Procedura di classificazione	Metodo di calcolo.
Testo integrale delle frasi citate nei Capitoli 2 e 3	H225: Liquido e vapori facilmente infiammabili. H302: Nocivo se ingerito. H314: Provoca gravi ustioni cutanee e gravi lesioni oculari. H315: Provoca irritazione cutanea. H318: Provoca gravi lesioni oculari. H319: Provoca grave irritazione oculare. H336: Può provocare sonnolenza o vertigini.
Ulteriori informazioni	Prendere nota delle istruzioni d'uso sull'etichetta.
Instruzioni per l'uso	Unicamente ad uso di utilizzatori professionali.
Diniego	Le informazioni riportate in questa Scheda di Sicurezza sono corrette secondo le nostre migliori conoscenze del prodotto al momento della pubblicazione.